

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
------	-------	-------------	----------------------	-----------------------

ANTENNAS-TERRESTRIAL RECEPTION
FLASHD series Antennas
BII-FM BAND ANTENNAS

1726	IKF-1E/FM	FM antenna. F= 88-108 MHz. G=1 dB	21,96	27,23
------	-----------	-----------------------------------	-------	-------

BAND III - DIGITAL RADIO ANTENNA

1727	DAB-131	Digital radio antenna F= 174-240 MHz. G=2 dB	22,96	28,47
------	---------	----------------------------------------------	-------	-------

BIV/V ANTENNAS. ADAPTED TO 2nd DIGITAL DIVIDEND (LTE)

1818	HDTF-C48V	FLASHD LTE c48. UHF TV antenna, Ch 21-48 (470-694 MHz). G=17 dB. Green	54,98	68,18
------	-----------	------------------------------------------------------------------------	-------	-------

1824	HDTN-694V compact	FLASHD compact LTE UHF TV antenna. Ch 21-48 (470-694 MHz). G=13 dB. Green	30,50	37,82
------	-------------------	----------------------------------------------------------------------------------	-------	-------

1825	HDTN-694V nano	FLASHD nano LTE UHF TV antenna. Ch 21-48 (470-694 MHz). G=12 dB. Green	24,06	29,83
------	----------------	-------------------------------------------------------------------------------	-------	-------

Antenna accessories
SUPPORTS AND ACCESSORIES

1888	KMV-100	Wind set. Steelwire 25m, accessories cable tie for masts Ø 30-35 mm	69,11	85,70
------	---------	---------------------------------------------------------------------	-------	-------

1886	GME-200	Wall support bracket, length 40 mm for Ø 45 mm masts	5,17	6,41
------	---------	------------------------------------------------------	------	------

1887	BMA-200	Wall bracket with 4-bolt plate and polyethylene cap	11,38	14,11
------	---------	-----------------------------------------------------	-------	-------

1911	GMA-400	Wall-screwing clamp, length 40 cm for Ø 45 mm masts	9,15	11,35
------	---------	-----------------------------------------------------	------	-------

1913	BBT-100	Tiltable ridge-tale base for 30-35 mm Ø	25,03	31,04
------	---------	-----------------------------------------	-------	-------

1067	SCF-085	Ground-fixing "column" type. Height 90cm. Pipe of Ø50mm. Base of 200x200 mm	41,25	51,15
------	---------	-----------------------------------------------------------------------------	-------	-------

1949	BAP-200	Hooked-support for SCF-085. Base 200x200 mm	61,23	75,93
------	---------	---------------------------------------------	-------	-------

3071	SPA-240	Wall-fixing "U" type for satellite dishes antennas	20,46	25,37
------	---------	----------------------------------------------------	-------	-------

MASTS AND PYLONS

1941	MAS-300	Plug-in mast 3m length x 40mm Ø. Thickness 1,5 mm. Zinced steel	36,46	45,21
------	---------	-----------------------------------------------------------------	-------	-------

1880	MAS-250	Plug-in mast 2,5m length x 35mm Ø. Thickness 1,5 mm. Zinced steel	15,86	19,67
------	---------	-------------------------------------------------------------------	-------	-------

1942	TOR-250	Trestle-tower or upper section 2,5m. Adapted for ref.1941	142,54	176,75
------	---------	-----------------------------------------------------------	--------	--------

1944	TOR-150	Trestle-tower or upper section 1,5m. Adapted for ref.1941	107,28	133,03
------	---------	-----------------------------------------------------------	--------	--------

1950	BTA-225	Screwed, triangular fixed base 225 mm	31,49	39,05
------	---------	---------------------------------------	-------	-------

1876	BFT-100	Fixed triangular base 225 mm hooked	38,42	47,64
------	---------	-------------------------------------	-------	-------

SATELLITE RECEPTION
Satellite dishes-offset type. RPA series
PARABOLIC ANTENNAS

3065	RPA-060	Satellite dish 60 cm Ø. Offset, with Ikusi logo. Light grey 58 x 63 cm	34,80	43,15
------	---------	------------------------------------------------------------------------	-------	-------

3067	RPA-080	Satellite dish 80 cm Ø. Offset, with Ikusi logo. Light grey 78 x 84 cm	60,48	75,00
------	---------	------------------------------------------------------------------------	-------	-------

3069	RPA-100	Satellite dish 100 cm Ø. Offset, with Ikusi logo. Light grey 95 x 103 cm	104,00	128,96
------	---------	--------------------------------------------------------------------------	--------	--------

3060	RPA-120	Satellite dish 120 cm Ø. Offset, with Ikusi logo. Light grey 124 x 134 cm	270,00	334,80
------	---------	---------------------------------------------------------------------------	--------	--------

LNBs UEU SERIES
LNBs OFFSET

1113	UEU-121K	LNB. Universal 1 output. G=58 dB	4,58	5,67
------	----------	----------------------------------	------	------

3083	UEU-221K	LNB Twin 2 outputs G=58dB	14,12	17,51
------	----------	---------------------------	-------	-------

1112	UEU-421K	LNB Quad. 4 outputs G=58dB	36,11	44,78
------	----------	----------------------------	-------	-------

1114	UEU-124K	LNB Quattro. 4 output G=58dB	15,57	19,30
------	----------	------------------------------	-------	-------

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
MAST - HEAD PREAMPLIFIERS				
SBA series				
1 UHF INPUT				
1304	SBA103-C48	1 UHF(470-790 MHz) input. G=34 dB 1st dividend	21,75	26,97
2 INPUTS (UHF-UHF)				
1296	SBA101-C48	2 UHF-UHF (470-694 MHz) inputs. G=36 dB 2nd dividend	29,07	36,05
2 INPUTS (UHF-BI / DAB / BIII)				
1302	SBA102-C48	2 UHF-BI / DAB / BIII (470-694 MHz) inputs. UHF (25dB)-BI/ DAB/ BIII(-1dB). 2nd dividend	29,07	36,05
2 INPUTS (UHF-SAT)				
1308	SBA190-C48	2 UHF-SAT (470-694 MHz) inputs. UHF (35dB)-SAT(-2dB). 2nd dividend	30,06	37,27
Power supply for mast amplifier. APB series				
Power supply "micro" size				
3436	APB-112-M	Switch mode + 12 VDC, 100mA. 1 ouput	17,42	21,61
3437	APB-224-M	Switch mode + 24 VDC, 100mA. 2 ouputs	18,86	23,38
Mast amplifier + power supply kits				
1328	JSBA103-C48	Kit Amplifier SBA-103 - C48 + Power supply APB-224-M	30,56	37,89
BROADBAND AMPLIFIERS				
Programmable amplification mini HeadEnds (With LTE filtre)				
ONE+ SERIES				
2864	ONE+ SAT	ONE+ SAT: programmable mini HeadEnd: TV (131 dBμV)+SAT (122 dBμV)	411,12	509,79
2865	ONE+	ONE+: programmable head-end: 65 db, 131 dBμV	376,02	466,26
2870	ONE Compact	ONE Compact: programmable head-end: 55 db, 125 dBμV	257,10	318,80
Broadband Amplifiers Terrestrial and Satellite (With LTE filtre)				
NBS-800 SERIE (High power)				
σειρά NBS-895-Cxx BI/FM-BIII/DAB-2XUHF-IF(GAIN=42-42-45-45-40dB) Output Level 122 dbμV				
3576	NBS-895-C48	NBS-895-C48 AMP 4 TV+1 SAT	149,69	185,62
σειρά NBS-804-Cxx BI/FM-BIII/DAB-2XUHF(GAIN=42-42-45-45dB) Output Level 122 dbμV				
3564	NBS-804-C48	NBS-804-C48 AMP 4 IN TV	122,89	152,38
σειρά NBS-801-Cxx ενισχυτής γραμμής 45-xxx MHz. GAIN = 42 dB, Output Level 122 dbμV				
3573	NBS-801-C48	NBS-801-C48 AMP: 45-694 MHz 1 in, 1 out - tilt διόρθωσης καμπύλης	107,74	133,60
NBS-700 SERIE (High power) - new model				
σειρά NBS-7xx-C48 Output Level 115 dbμV + AGC . Follows the new RED directive concerning RF signals				
3535	NBS-701-C48	NBS-701-C48 AMP: 45-694 MHz 1 in, 1 out - tilt διόρθωσης καμπύλης	70,26	87,12
3536	NBS-704-C48	NBS-704-C48 AMP 4 IN TV	81,98	101,66
3537	NBS-795-C48	NBS-795-C48 AMP 4 TV+1 SAT	117,54	145,75
NBS-600 SERIE (Mid power)				
σειρά NBS-695-Cxx BI/FM-BIII/DAB-2XUHF-IF(GAIN=36-36-2x39-34dB) Output Level 112 dbμV				
3570	NBS-695-C48	NBS-695-C48 AMP 4 TV+1 SAT	132,60	164,42
σειρά NBS-604-Cxx BI/FM-BIII/DAB-2XUHF(GAIN=36-36-2x39dB) Output Level 112 dbμV				
3567	NBS-604-C48	NBS-604-C48 AMP 4 IN TV	87,90	109,00
NBS-200 SERIE (Low power)				
3516	NBS-204	BI-FM-BIII/DAB-UHF (G=31-31-31-33dB) Output Level 106 dbμV	51,11	63,38
IF-Sat Combiner/Amplifier				
AFI SERIE				
3461	AFI-190	SAT-IF combiner/amplifier 5-790 MHz: μίξη. 950-2450 MHz: 34 dB με έξοδο 120 dbμV.	97,88	121,37

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
------	-------	-------------	----------------------	-----------------------

SINGLE CHANNEL AMPLIFIERS

SZB Series

SZB SERIE

2293 SZB-128	FM amplif.(30dB).Output level 2x126dBμVolt."F" connector	74,03	91,80
3160 SZB-168	Digital radio amplifier.(gain 53dB).Output level 2x113dBμVolt."F" connector	83,59	103,65
3152 SZB-139	BIII amplif.(56dB).Output level 2x121dBμVolt."F" connector	83,00	102,92
2246 SZB-148	UHF amplifier adjacent channel G=352dB; Output level=2x121 dBμVolt	83,50	103,54
1346 SZB-190	IF amplifier. 950MHz(33dB)-2150MHz(40dB)Output level=120dBμVolt	131,30	162,81
2248 SZB-180	2248 - SZB-180 AMP.MULTI. 2-3-4 C.UHF. G=60dB	104,00	128,96
2260 SZB+550	SZB+550 UHF AGILE CH. AMPL 5G	104,50	129,58

POWER SUPPLY

2250 SZB-214	SZB-214 SWITCH POWER 24V-4,5A	124,10	153,88
--------------	-------------------------------	--------	--------

ACCESSORIES

2220 BAS-915	BAS-915 BASE 5 UNITS (CONTACTS)	27,32	33,88
2222 BAS-913	Base Plate for 3 modules//SZB	47,95	59,46
2224 COF-809	Housing for Base Plate for 9 modules//SZB (420X346X180MM)	100,75	124,93
2221 CTF-075	75 Ohm load plug/SZB	0,42	0,52
2247 PZB-453	ZPLUG BRIDGE F-F (45,3)	3,20	3,97
2272 PZL-017	PZL-017 BAG 8 FLEXIBLE BRIDGES	3,14	3,89

STAND ALONE MODULATORS

HD Modulators

3030 MAW-300	AV - HDMI → DVB-T. Video inputs CVBS, HDMI	401,76	498,18
--------------	--------------------------------------------	--------	--------

AV Modulators

3031 MAW-201	AV → AM. Home double side band stand alone modulator 45 - 862 MHz	53,28	66,07
--------------	-------------------------------------------------------------------	-------	-------

DVB-T2 STB

1065 RDT-100	RDT-100 terrestrial recep HD - DVB-T2	51,75	64,17
--------------	---------------------------------------	-------	-------

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
------	-------	-------------	----------------------	-----------------------

MODULAR HEADENDS

ClassA Headend

MODULATORS A/V → AM

3849 MCP-801	Twin Modulator. Mono. BG,DK,I,L.	342,68	424,93
--------------	----------------------------------	--------	--------

IF-IF CONVERTER

3844 SPC-030	Triple IF-IF converter	513,77	637,07
--------------	------------------------	--------	--------

ClassA Headend ADVANCED

TERRESTRIAL CHANNEL TRANSCODER

3859 HTL-TT2	DVB-T/T2 → DVB-T / DVB-C (twin DVB-T inputs) MPEG4 → MPEG2 TRANSCODER	700,00	868,00
--------------	--------------------------------------------------------------------------	--------	--------

ClassA module Accesories

POWER SUPPLY

4492 CFP-900	Power Supply (12/24).9A	356,30	441,81
--------------	-------------------------	--------	--------

MULTIPLEXOR

4433 AMX-400	Combiner Class A. 4x47-860 MHz	193,68	240,16
--------------	--------------------------------	--------	--------

POWER AMPLIFIERS

4427 HPA-125	Amplifier module. Output level 125 dBμVolt	249,92	309,90
--------------	--------------------------------------------	--------	--------

4437 HPA-920	HPA-920 AMPL FI 120dBuV	203,25	252,03
--------------	-------------------------	--------	--------

4070 SPI-300	Class A Programming controller	297,35	368,72
--------------	--------------------------------	--------	--------

ClassA fixing Accesories

4411 BAS-900	Base Plate capacity 9 modules. Dimesions:563x257x24mm	43,84	54,36
--------------	-------------------------------------------------------	-------	-------

4403 BAS-700	Base Plate capacity 7 modules. Dimesions:441x257x24mm	38,79	48,09
--------------	-------------------------------------------------------	-------	-------

4402 COF-700	Housing for BAS-700. Dimesions:430x341x258mm	124,59	154,49
--------------	----------------------------------------------	--------	--------

4280 SMR-601	19" - 6 U Rack Frame 7 modules	119,08	147,65
--------------	--------------------------------	--------	--------

4281 PMR-601	6 U Module fixing plate	13,96	17,31
--------------	-------------------------	-------	-------

4282 OMR-601	6 U - 12E Blank panel	13,43	16,65
--------------	-----------------------	-------	-------

ClassA HTI series HeadEnd (IPTV + RF)

3864 HTI-404	Transmodulator HTI-404: 4 Universal inputs - 4 out DVB-T/C FTA	2.227,83	2.762,51
--------------	----------------------------------------------------------------	----------	----------

3863 HTI-424	Transmodulator HTI-424: 4 Universal inputs - 4 out DVB-T/C+IPTV+2 CAM	2.973,80	3.687,51
--------------	-----------------------------------------------------------------------	----------	----------

3866 BACK-500	Base-plate for HTI HeadEnds.	156,04	193,48
---------------	------------------------------	--------	--------

3865 PSU-150	Power Supply for HTI HeadEnds.	250,55	310,68
--------------	--------------------------------	--------	--------

3868 HTA-125	Hi Level Amplifier for HTI HeadEnds. 47 - 862 MHz, 45 db, 125 dBuV	238,12	295,27
--------------	--------------------------------------------------------------------	--------	--------

4284 USB-300	USB 3.0 to Ethernet Adapter	140,80	174,59
--------------	-----------------------------	--------	--------

4404 COR-150	Elbow Schuko Powercord	10,70	13,27
--------------	------------------------	-------	-------

3870 UAH-001	Bridge for connection of two bases (BACK-500)	48,69	60,37
--------------	-----------------------------------------------	-------	-------

3867 SR-HTI	Rack 19" support for HTI HeadEnds.	130,08	161,29
-------------	------------------------------------	--------	--------

4285 ADA-HTI	ClassA-HTI adapter. 10CON	61,12	75,78
--------------	---------------------------	-------	-------

19" RACK CABINETS

2174 ARE-120	Panel height 12 Units	580,12	719,35
--------------	-----------------------	--------	--------

2169 ARE-220	Panel height 22 Units	1.362,06	1.688,96
--------------	-----------------------	----------	----------

2171 ARE-320	Panel height 32 Units	1.800,66	2.232,81
--------------	-----------------------	----------	----------

2172 ARE-420	Panel height 42 Units	2.065,67	2.561,43
--------------	-----------------------	----------	----------

Ikusi Flow IPTV HEADENDS

Ikusi Flow

ikusiflow	Digital Universal IPTV Headend : DVB-T/T2 ; DVB-C ; DVB-S/S2 inputs to DVB-T/DVB-C and IPTV output
-----------	-------------------------------------------------------------------------------------------------------

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
------	-------	-------------	----------------------	-----------------------

DISTRIBUTION ELEMENTS

Indoor tap-offs. UDM series

1 OUTPUT

2052	UDM-110	1-Way shielded tap-off (10dB)(2400 MHz)	4,48	5,56
2053	UDM-115	1-Way shielded tap-off (15dB)(2400 MHz)	4,48	5,56
2054	UDM-120	1-Way shielded tap-off (20dB)(2400 MHz)	4,48	5,56
2055	UDM-125	1-Way shielded tap-off (25dB)(2400 MHz)	4,48	5,56

2 OUTPUTS

2056	UDM-210	2-Way shielded tap-off (10dB)(2400 MHz)	4,66	5,78
2057	UDM-215	2-Way shielded tap-off (15dB)(2400 MHz)	4,66	5,78
2058	UDM-220	2-Way shielded tap-off (20dB)(2400 MHz)	4,66	5,78
2059	UDM-225	2-Way shielded tap-off (25dB)(2400 MHz)	4,66	5,78

4 OUTPUTS

2060	UDM-410	4-Way shielded tap-off (10dB)(2400 MHz)	6,41	7,95
2061	UDM-415	4-Way shielded tap-off (15dB)(2400 MHz)	6,41	7,95
2062	UDM-420	4-Way shielded tap-off (20dB)(2400 MHz)	6,41	7,95
2063	UDM-425	4-Way shielded tap-off (25dB)(2400 MHz)	6,41	7,95

6 OUTPUTS

2064	UDM-615	6-Way shielded tap-off (10dB)(2400 MHz)	8,06	9,99
2065	UDM-620	6-Way shielded tap-off (20dB)(2400 MHz)	8,06	9,99
2066	UDM-625	6-Way shielded tap-off (25dB)(2400 MHz)	9,24	11,46

8 OUTPUTS

2067	UDM-815	8-Way shielded tap-off (16dB)(2400 MHz)	9,60	11,91
2068	UDM-820	8-Way shielded tap-off (20dB)(2400 MHz)	9,60	11,91
2069	UDM-825	8-Way shielded tap-off (25dB)(2400 MHz)	9,60	11,91

Indoor Splitters. UDF series

2075	UDF-205	2-Way splitter (2400 MHz). Power Passing in all ports	4,30	5,33
2076	UDF-307	3-Way splitter (2400 MHz). Power Passing in all ports	4,59	5,69
2077	UDF-408	4-Way splitter (2400 MHz). Power Passing in all ports	7,11	8,82
2078	UDF-612	6-Way splitter (2400 MHz). Power Passing in all ports	11,69	14,50
2079	UDF-813	8-Way splitter (2400 MHz). Power Passing in all ports	11,57	14,34

User access point

3331	PAU-204	2- Way splitter (2400 MHz)	5,99	7,43
3354	PAU-203	3- Way splitter (2400 MHz)	4,30	5,33
3369	PAU-904	4- Way splitter (2400 MHz)	5,65	7,01
3370	PAU-905	5- Way splitter (2400 MHz)	8,17	10,13
3379	PAU-906	6- Way splitter (2400 MHz)	13,53	16,77

Indoor CATV taps and splitter 5-1000 MHz

2081	DIFC-201	2 way splitter for SCATV, F connector CATV. 1÷1000MHz.	4,39	5,45
2086	DFC-410	4 way tap-off, 10 dB. F connectors. CATV. 1÷1000MHz.	6,74	8,36
2087	DFC-415	4 way tap-off, 15 dB. F connectors. CATV. 1÷1000MHz.	6,74	8,36
2088	DFC-420	4 way tap-off, 20 dB. F connectors. CATV. 1÷1000MHz.	6,74	8,36
2089	DFC-425	4 way tap-off, 25 dB. F connectors. CATV. 1÷1000MHz.	6,74	8,36

Indoor splitters fully shielded 5-2400 MHz

2102	DAU-204	2 Way splitter with Clamp connection, 5-2400MHz	7,52	9,33
2103	DAU-307	3 Way splitter with Clamp connection, 5-2400MHz	9,50	11,78
2104	DAU-408	4 Way splitter with Clamp connection. 5-2400MHz	10,43	12,93
2105	DAU-510	5 Way splitter with Clamp connection, 5-2400MHz	14,06	17,43
2106	DAU-612	6 Way splitter with Clamp connection, 5-2400MHz	15,09	18,72
2107	DAU-813	8 Way splitter with Clamp connection, 5-2400MHz	16,73	20,75

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
------	-------	-------------	----------------------	-----------------------

Indoor taps fully shielded 5-2400 MHz

2110	UDB-110	1 Way Tap-off with Clamp connection, 10dB, 5-2400MHz	8,06	9,99
2111	UDB-115	1 Way Tap-off with Clamp connection, 15dB, 5-2400MHz	8,06	9,99
2112	UDB-120	1 Way Tap-off with Clamp connection, 20dB, 5-2400MHz	8,06	9,99
2113	UDB-210	2 Way Tap-off with Clamp connection, 10dB, 5-2400MHz	9,15	11,35
2114	UDB-215	2 Way Tap-off with Clamp connection, 15dB, 5-2400MHz	9,15	11,35
2115	UDB-220	2 Way Tap-off with Clamp connection, 20dB, 5-2400MHz	9,15	11,35
2116	UDB-225	2 Way Tap-off with Clamp connection, 25dB, 5-2400MHz	9,15	11,35
2117	UDB-410	4 Way Tap-off with Clamp connection, 10dB, 5-2400MHz	11,25	13,95
2118	UDB-415	4 Way Tap-off with Clamp connection, 15dB, 5-2400MHz	11,25	13,95
2119	UDB-420	4 Way Tap-off with Clamp connection, 20dB, 5-2400MHz	11,25	13,95
2120	UDB-425	4 Way Tap-off with Clamp connection, 25dB, 5-2400MHz	11,25	13,95
2121	UDB-615	6 Way Tap-off with Clamp connection, 15dB, 5-2400MHz	14,45	17,92
2122	UDB-620	6 Way Tap-off with Clamp connection, 20dB, 5-2400MHz	14,45	17,92
2123	UDB-625	6 Way Tap-off with Clamp connection, 25dB, 5-2400MHz	14,45	17,92
2124	UDB-815	8 Way Tap-off with Clamp connection, 15dB, 5-2400MHz	16,56	20,53
2125	UDB-820	8 Way Tap-off with Clamp connection, 20dB, 5-2400MHz	16,56	20,53

TV-IF combiner

3372	DMS-300	RTV-2xIF Combiner	9,72	12,05
------	---------	-------------------	------	-------

MULTISWITCHES

Stand alone Multiswitches. MSS series

5 INPUTS (1 SAT + 1 TERR)

3652	MSS-0504	Stand alone multiswitch. 5x 4 outputs	89,18	110,58
3653	MSS-0508	Stand alone multiswitch. 5x 8 outputs	109,38	135,64
3654	MSS-0512	Stand alone multiswitch. 5x 12 outputs	162,63	201,66
3655	MSS-0516	Stand alone multiswitch. 5x 16 outputs	179,25	222,27
3656	MSS-0520	Stand alone multiswitch. 5x 20 outputs	200,00	248,00
3657	MSS-0524	Stand alone multiswitch. 5x 24 outputs	182,02	225,70
3658	MSS-0528	Stand alone multiswitch. 5x 28 outputs	240,00	297,60
3659	MSS-0532	Stand alone multiswitch. 5x 32 outputs	336,00	416,64

9 INPUTS (2 SAT + 1 TERR)

3660	MSS-0904	Stand alone multiswitch. 9x 4 outputs	131,31	162,83
3661	MSS-0908	Stand alone multiswitch. 9x 8 outputs	182,57	226,38
3662	MSS-0912	Stand alone multiswitch. 9x 12 outputs	195,90	242,91
3663	MSS-0916	Stand alone multiswitch. 9x 16 outputs	222,20	275,53
3664	MSS-0920	Stand alone multiswitch. 9x 20 outputs	302,00	374,48
3665	MSS-0926	Stand alone multiswitch. 9x 26 outputs	305,05	378,26
3666	MSS-0932	Stand alone multiswitch. 9x 36 outputs	600,00	744,00

13 INPUTS (3 SAT + 1 TERR)

3667	MSS-1304	Stand alone multiswitch. 13x 4 outputs	205,59	254,93
3668	MSS-1308	Stand alone multiswitch. 13x 8 outputs	250,00	310,00
3669	MSS-1312	Stand alone multiswitch. 13x 12 outputs	319,12	395,71
3670	MSS-1316	Stand alone multiswitch. 13x 16 outputs	364,00	451,36
3671	MSS-1320	Stand alone multiswitch. 13x 20 outputs	416,00	515,84
3672	MSS-1326	Stand alone multiswitch. 13x 26 outputs	480,00	595,20
3673	MSS-1332	Stand alone multiswitch. 13x 32 outputs	680,00	843,20

17 INPUTS (4 SAT + 1 TERR)

3674	MSS-1708	Stand alone multiswitch. 17x 8 outputs	268,00	332,32
3675	MSS-1712	Stand alone multiswitch. 17x 12 outputs	336,00	416,64
3676	MSS-1716	Stand alone multiswitch. 17x 16 outputs	440,00	545,60
3677	MSS-1720	Stand alone multiswitch. 17x 20 outputs	548,00	679,52

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
3678	MSS-1726	Stand alone multiswitch. 17x 26 outputs	628,00	778,72
3679	MSS-1732	Stand alone multiswitch. 17x 32 outputs	776,00	962,24
Cascadable multiswitches. MSC series				
5 INPUTS (1 SAT+ 1 TERR)				
3680	MSC-0504-05	Cascadable multiswitch. 5x 4 outputs. 5 dB attenuation	50,55	62,68
3681	MSC-0504-10	Cascadable multiswitch. 5x 4 outputs. 10 dB attenuation	84,00	104,16
3682	MSC-0508-05	Cascadable multiswitch. 5x 8 outputs. 5 dB attenuation	75,42	93,52
3683	MSC-0508-10	Cascadable multiswitch. 5x 8 outputs. 10 dB attenuation	108,00	133,92
3684	MSC-0512-05	Cascadable multiswitch. 5x 12 outputs. 5 dB attenuation	120,86	149,87
3685	MSC-0512-10	Cascadable multiswitch. 5x 12 outputs. 10 dB attenuation	148,00	183,52
3686	MSC-0516-05	Cascadable multiswitch. 5x 16 outputs. 5 dB attenuation	139,02	172,38
3687	MSC-0516-10	Cascadable multiswitch. 5x 16 outputs. 10 dB attenuation	168,00	208,32
9 INPUTS (2 SAT+ 1 TERR)				
3688	MSC-0906-10	Cascadable multiswitch. 9x 6 outputs. 10 dB attenuation	156,72	194,33
3689	MSC-0906-15	Cascadable multiswitch. 9x 6 outputs. 15 dB attenuation	114,00	141,36
3690	MSC-0910-10	Cascadable multiswitch. 9x 10 outputs. 10 dB attenuation	144,00	178,56
3691	MSC-0910-15	Cascadable multiswitch. 9x 10 outputs. 15 dB attenuation	144,00	178,56
3692	MSC-0916-12	Cascadable multiswitch. 9x 16 outputs. 12 dB attenuation	160,00	198,40
3693	MSC-0916-17	Cascadable multiswitch. 9x 16 outputs. 17 dB attenuation	160,00	198,40
3694	MSC-0920-12	Cascadable multiswitch. 9x 20 outputs. 12 dB attenuation	200,00	248,00
3695	MSC-0920-17	Cascadable multiswitch. 9x 20 outputs. 17 dB attenuation	199,84	247,80
13 INPUTS (3 SAT+ 1 TERR)				
3696	MSC-1306-10	Cascadable multiswitch. 13x 6 outputs. 10 dB attenuation	272,00	337,28
3697	MSC-1306-15	Cascadable multiswitch. 13x 6 outputs. 15 dB attenuation	213,33	264,53
3698	MSC-1310-10	Cascadable multiswitch. 13x 10 outputs. 10 dB attenuation	318,40	394,82
3699	MSC-1310-15	Cascadable multiswitch. 13x 10 outputs. 15 dB attenuation	318,40	394,82
3752	MSC-1316-12	Cascadable multiswitch. 13x 16 outputs. 12 dB attenuation	396,00	491,04
3753	MSC-1316-17	Cascadable multiswitch. 13x 16 outputs. 17 dB attenuation	276,53	342,89
3754	MSC-1320-12	Cascadable multiswitch. 13x 20 outputs. 12 dB attenuation	476,00	590,24
3755	MSC-1320-17	Cascadable multiswitch. 13x 20 outputs. 17 dB attenuation	476,00	590,24
17 INPUTS (4 SAT+ 1 TERR)				
3756	MSC-1706-10	Cascadable multiswitch. 17x 6 outputs. 10 dB attenuation	257,57	319,38
3757	MSC-1706-15	Cascadable multiswitch. 17x 6 outputs. 15 dB attenuation	296,00	367,04
3758	MSC-1710-10	Cascadable multiswitch. 17x 10 outputs. 10 dB attenuation	376,00	466,24
3759	MSC-1710-15	Cascadable multiswitch. 17x 10 outputs. 15 dB attenuation	376,00	466,24
3760	MSC-1716-12	Cascadable multiswitch. 17x 16 outputs. 12 dB attenuation	408,00	505,92
3761	MSC-1716-17	Cascadable multiswitch. 17x 16 outputs. 17 dB attenuation	408,00	505,92
3762	MSC-1720-12	Cascadable multiswitch. 17x 20 outputs. 12 dB attenuation	516,00	639,84
3763	MSC-1720-17	Cascadable multiswitch. 17x 20 outputs. 17 dB attenuation	516,00	639,84
Multiswitches. MSA series amplifiers				
3780	MSA-005	5 inputs (1 SAT + 1 TERR) amplifier. 5 outputs	68,88	85,41
3781	MSA-009	9 inputs (2 SAT + 1 TERR) amplifier. 9 outputs	163,63	202,90
3782	MSA-013	13 inputs (3 SAT + 1 TERR) amplifier. 13 outputs	221,23	274,33
3783	MSA-017	17 inputs (4 SAT + 1 TERR) amplifier. 17 outputs	264,00	327,36
Multiswitches. UDA series splitters				
3786	UDA-505	5 inputs (1 SAT + 1 TERR) multisplitter passive. 10 outputs	36,65	45,44
3787	UDA-500	5 inputs (1 SAT + 1 TERR) multisplitter active. 10 outputs	66,52	82,48
Multiswitches. Accessories				
3784	PSA-012	Power supply 90-256 AC ; 50/60 Hz. 12VDC2A	52,09	64,59
2379	BCF-060	F Blocker 60V AC/DC male-female	2,00	2,48
3211	FMM-100	F Quick connector male-female	1,45	1,80

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
------	-------	-------------	----------------------	-----------------------

APARTMENT AMPLIFIERS

Apartment amplifiers. ATP series

1 TERR / SAT / VR INPUT; 1 OUTPUT + return path 5-30 MHz

3590 ATP190-C48	47-694 MHz (18 dB) / 950-2150 MHz (22 dB) / 5-30 MHz 2nd dividend	48,44	60,07
-----------------	-------------------------------------------------------------------	-------	-------

1 TERR / SAT / VR INPUT; 2 OUTPUTS + return path 5-30 MHz

3593 ATP290-C48	47-694 MHz (18 dB) / 950-2150 MHz (22 dB) / 5-30 MHz 2nd dividend	50,02	62,02
-----------------	-------------------------------------------------------------------	-------	-------

1 TERR / SAT / VR INPUT; 4 OUTPUTS + return path 5-30 MHz

3599 ATP490-C48	47-694 MHz (18 dB) / 950-2150 MHz (22 dB) / 5-30 MHz 2nd dividend	45,74	56,72
-----------------	-------------------------------------------------------------------	-------	-------

1 TERR INPUT; 2 OUTPUTS

3584 ATP200-C48	47-694 MHz (25 dB) 2nd dividend	24,17	29,97
-----------------	---------------------------------	-------	-------

1 TERR INPUT; 4 OUTPUTS

3596 ATP400-C48	47-694 MHz (22 dB) 2nd dividend	32,36	40,13
-----------------	---------------------------------	-------	-------

LINE EXTENDER AMPLIFIERS

Extension amplifiers

TAE SERIES

3249 TAE1125	Line extender (RW 5-55Mhz).G=35dB 230-240 V 124dBμ	322,26	399,60
--------------	----------------------------------------------------	--------	--------

3264 TAE1120	Line extender (RW 5-55Mhz).G=35 dB 230-240 V 120dBμ	268,60	333,06
--------------	-----------------------------------------------------	--------	--------

3263 TAE1118	Line extender (RW 5-55Mhz).G=35dB 230-240 V 118 dBμ	266,33	330,25
--------------	-----------------------------------------------------	--------	--------

SAE SERIE

3500 SAE-912	Line extender. IF-Terrestrial.35 MHz R.W. Mains	236,71	293,52
--------------	-------------------------------------------------	--------	--------

3503 SAE-916	Line extender. IF-Terrestrial.65 MHz active R.W. Mains	231,69	287,30
--------------	--------------------------------------------------------	--------	--------

3507 SAE-920	Line extender. Dual IF-Terrestrial. Mains	265,00	328,60
--------------	-------------------------------------------	--------	--------

LTE FILTERS

Second dividends filters

1436 FLTE-481	Filter channel 48 (470-694 MHz) for indoor	23,79	29,50
---------------	--------------------------------------------	-------	-------

1437 FLTE-482	Filter channel 48 (470-694 MHz) for mast	29,68	36,80
---------------	------------------------------------------	-------	-------

DISTRIBUTION ACCESSORIES

TV Wall outlets

1460 ABT-210	Surface mounting frame outlet.	0,91	1,13
--------------	--------------------------------	------	------

5360 PSE-300	End Outlet with frame and coverplate.DC Passing SAT output. TV-RD-SAT IF	5,06	6,27
--------------	--------------------------------------------------------------------------	------	------

2574 ARTU 008	ARTU008 bridged outlet socket	6,20	7,69
---------------	-------------------------------	------	------

2576 ARTU 081	ARTU081 final 3,5 RESIS. socket	6,91	8,57
---------------	---------------------------------	------	------

2571 ARTU 068	ARTU068 socket SAT/TV PC IND 694MHZ	4,81	5,96
---------------	-------------------------------------	------	------

2570 ARTU 088	ARTU088 socket SAT/TV PC IND 862MHZ	5,30	6,57
---------------	-------------------------------------	------	------

2578 ARTU 980	ARTU980 final SAT/TV DC 862M	7,73	9,59
---------------	------------------------------	------	------

2579 ARTU 981	ARTU981 socket SAT/TV PC 10 862MHZ	8,84	10,96
---------------	------------------------------------	------	-------

2580 ARTU 982	ARTU982 socket SAT/TV PC 15 862MHZ	8,74	10,84
---------------	------------------------------------	------	-------

2575 ARTU 983	ARTU983 socket SAT/TV PC 25 862MHZ	8,74	10,84
---------------	------------------------------------	------	-------

2573 ARTU 111	ARTU111 socket TV/RD IND CATV 1GHZ	7,73	9,59
---------------	------------------------------------	------	------

2490 TV-RD	PBT-480 coverplate TV-RD	1,12	1,39
------------	--------------------------	------	------

2488 TVSAT-TV SAT	PBT-980 coverplate TV/SAT-TV/SAT	1,12	1,39
-------------------	----------------------------------	------	------

2489 TV SAT	PBT-990 coverplate TV/RD-SAT	1,12	1,39
-------------	------------------------------	------	------

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
Coaxial cables				
2514	CCT-125 (RG11)	RG11. Cu- Al Black PE (13,1 dB/ 862 MHz & 27,5 dB / 2150 MHz)	1,84	2,282
2493	17VATCAPH1	RG6. Cooper - plated steel. PVC white (6,8mm Ø. Al-Al. 18dB (862MHz) ; 29 dB (2	0,34	0,422
2563	CUC-340	RG6. CUC-340 coaxial Cu/Cu PVC-W 100B	0,89	1,104
2557	CUA-340	RG6. CUA-340 coaxial Cu/CCA PVC-W 100B	0,67	0,831
2551	CSL-134 (RG59)	RG59. CSL-134 coaxial CCS/Al PVC-W 100A	0,38	0,471
2495	CUL-440	RG6. CUL-440 coaxial CU/AL PVC-W 100B	0,63	0,781
2494	CUL-443	RG6. CUL-443 coaxial CU/AL PVC-W300B	0,53	0,657
2550	CSL-443	RG6. CSL-443 coaxial CCS/Al PVC-W 300B	0,39	0,484
2559	CUC-347	RG6. CUC-347 coaxial Cu/Cu PVC-B 100B	0,93	1,153
Coaxial cables Euroclass Dca - LSZH (Low Smoke Zero Halogen)				
2789	CSL-659	Dca LSZH RG59. Att. 2,8dB (5MHz) 24dB (862MHz) Ø6,0mm. White	0,42	0,521
2781	CUL-640	Dca LSZH RG6. Att. 19dB (862MHz) 31dB (2150MHz) Ø6,8mm. White	0,75	0,930
2787	CSL-640	Dca LSZH RG6. Att. 1,9dB (5MHz) 19dB (862MHz) Ø6,9mm. White	0,46	0,570
2788	CSL-644	Dca LSZH RG6. Att. 1,9dB (5MHz) 19dB (862MHz) Ø6,9mm. Black	0,46	0,570
2783	CUA-540	Dca LSZH RG6. Att. 19dB (862MHz) 31,5dB (2150MHz) Ø6,8mm. White	0,77	0,955
2785	CUA-544	Dca LSZH RG6. Att.19dB (862MHz) 31,5dB (2150MHz) Ø6,8mm. Black	0,77	0,955
2791	CUC-540	Dca LSZH RG6. Att.18,3dB (862MHz) 31,5dB (2150MHz) Ø6,8mm. White	0,89	1,104
2790	CUC-544	Dca LSZH RG6. Att. 18,3dB (862MHz) 31,5dB (2150MHz) Ø6,8mm. Black	0,91	1,128
2780	CUC-640	Dca LSZH RG6. Att. 17,4dB (862MHz) 29,5dB (2150MHz) Ø6,8mm. White	1,04	1,290
2782	CUC-644	Dca LSZH RG6. Att. 17,4dB (862MHz) 29,5dB (2150MHz) Ø6,8mm. Black	1,04	1,290
2786	CSL-611	Dca LSZH RG11. Att. 1,3dB (5MHz) 12,5dB (862MHz) Ø10,1mm. Black	0,93	1,153
Connectors				
2377	CFR-680	"F" male connector. 6,5 diameter screw-on f plug	0,15	0,186
1502	CAD	9,5 mm.diameter male elbow plug	0,33	0,409
1503	CHD-950	9,5 mm.diameter female elbow plug	0,33	0,409
3133	CCF-111	Hi Quality compression connector for CCT-125 cable (RG11)	1,49	1,848
3131	CFC-600	Hi Quality compression connector for cables RG6	0,82	1,017
2380	CFC-590	Hi Quality F male compression connector for RG59 cables	0,61	0,76
2513	CTF-125	RG11 crimpable connector for CCT-125 cable	3,05	3,78
2368	CTF-190	RG6 crimpable connector for remaining cables	0,63	0,781
2379	BCF-060	60V AC/DC block "F" type male-female connector	3,05	3,78
2221	CTF-075	75Ω "F" type load	0,40	0,496
2071	CTB-075	75Ω termination for flange connector	0,46	0,569
1640	SAI-311	Female-female barrel (brass) ."F" type	1,22	1,513
3105	FAV-020	Variable attenuator 0-20dB. Constant impedance. 75Ω	8,54	10,59
1674	AV-020	Variable attenuator. Constant impedance. VHF/UHF (0-20dB).IEC	7,73	9,59
1408	V-2T	Splitter for VCR (2TV). IEC	10,67	13,23
3241	IFC-215	Power inserter (1A/24V). 10-2150 MHz. "F" type female connector	11,38	14,11
1107	FIS-950	950-2150 MHz IF amplifier	16,37	20,30
3242	FAV-920	TV-IF variable attenuator.18 dB	10,81	13,40
1847	UCF-170	Hex crimp tool for CTF-125 and CTF-190 connectors	67,60	83,82
3132	UCR-600	Compression tool for CCF-111 and CFC-600 connectors	84,36	104,61
UTP cables				
2499	CT6-CUE	Copper - Copper CAT6 cable	0,86	1,066
2500	CT6-CAE	Copper - aluminum CAT6 cable	0,58	0,719
2492	CT6-CAD	Dca LSZH Cable CAT6 U/UTP conductor CCA. White. Pull Box 305mts	0,62	0,769
2496	CT6-CUD	Dca LSZH Cable CAT6 U/UTP conductor Cu. White. Pull Box 305mts	0,89	1,104
2497	CT6A-CUD	Dca LSZH Cable CAT6A U/UTP conductor Cu. White. Pull Box 305mts	1,19	1,476

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
------	-------	-------------	----------------------	-----------------------

OPTICAL DISTRIBUTION SYSTEM

47 - 2150 MHz Optical fiber

4915	FTD-420	Optical Transmitter 4 mw 47/2150 MHz	649,96	805,95
4914	FRD-400	Optical receiver 47/2150 MHz.119.dBμVolt	390,02	483,62
4904	FSP-302	2xOptical splitter	179,62	222,73
4905	FSP-303	3xOptical splitter	224,54	278,43
4916	FSP-304	4xOptical splitter	223,32	276,92
4918	FSP-306	6xOptical splitter	248,17	307,73

45 - 2600 MHz Optical fiber

4896	FSP-202	2x Optical splitter	30,89	38,30
4898	FSP-204	4x Optical splitter	39,67	49,19
4897	FSP-208	8x Optical splitter	64,14	79,53
4899	FSP-216	16x Optical splitter	97,91	121,41
4892	FAO-004	Optical attenuator 3 dB	20,19	25,03
4893	FAO-006	Optical attenuator 6 dB	20,19	25,03
4870	FTD-1110	Optical transmitter (45-862 MHz). Optical wavelength: 1550 nm (SC/APC). Power:	590,82	732,62
4871	FTD-1290	Optical transmitter (45-2600 MHz). Optical wavelength: 1550 nm (SC/APC). Powe	844,91	1.047,69
4872	FRD-110	Active optical receiver (45-862 MHz). Optical wavelength: 1300-1560 nm (SC/APC	75,05	93,07
4873	FRD-190	Active optical receiver (45-2600 MHz). Optical wavelength: 1300-1560 nm (SC/AP	118,16	146,52
4874	FRD-010	Passive optical receiver (47-1000 MHz). Optical wavelength: 1550 nm (SC/APC)	10,70	13,27
4875	FRD-090	Passive optical receiver (47-2150 MHz). Optical wavelength: 1550 nm (SC/APC)	14,23	17,65

Optical LNB

4951	PSU-QUATRO	PSU for Quattro	32,08	39,78
4952	QUAD-GTU	Optical to RF converter 4 users	192,80	239,07
4953	QUATRO-GTU	Optical to RF converter 4 polarities	161,18	199,86

Optical Accessories

8002	PAUF-110D	PAU optic + pigtail 10 m SC/APC. CPR Dca	20,49	25,41
8003	PAUF-115D	PAU optic + pigtail 15 m SC/APC. CPR Dca	24,09	29,87
8004	PAUF-120D	PAU optic + pigtail 20 m SC/APC. CPR Dca	26,54	32,91
8005	PAUF-125D	PAU optic + pigtail 25 m SC/APC. CPR Dca	27,94	34,65
8006	PAUF-130D	PAU optic + pigtail 30 m SC/APC. CPR Dca	29,96	37,16
8007	PAUF-140D	PAU optic + pigtail 40 m SC/APC. CPR Dca	35,39	43,88
8008	PAUF-155D	PAU optic + pigtail 55 m SC/APC. CPR Dca	42,82	53,10
8009	PAUF-170D	optic 70 m SC/APC. CPR Dca	53,37	66,18
8011	PAUF-210D	PAU optic + Fiber Patch cable 10 m SC/APC. CPR Dca	37,80	46,87
8012	PAUF-215D	PAU optic + Fiber Patch cable 15 m SC/APC. CPR Dca	38,80	48,11
8013	PAUF-220D	PAU optic + Fiber Patch cable 20 m SC/APC. CPR Dca	40,70	50,47
8014	PAUF-225D	PAU optic + Fiber Patch cable 25 m SC/APC. CPR Dca	42,49	52,69
8015	PAUF-230D	PAU optic + Fiber Patch cable 30 m SC/APC. CPR Dca	44,62	55,32
8016	PAUF-240D	PAU optic + Fiber Patch cable 40 m SC/APC. CPR Dca	48,41	60,03
8017	PAUF-255D	PAU optic + Fiber Patch cable 55 m SC/APC. CPR Dca	56,57	70,15
8018	PAUF-270D	PAU optic + Fiber Patch cable 70 m SC/APC. CPR Dca	63,28	78,47
8020	CPT-050VD	Multi-cable 50 pairs indoor. LSZH. CPR Dca	24,57	30,47
8021	CPT-025VD	Multi-cable 25 pairs indoor. LSZH. CPR Dca	10,53	13,05
8022	CPT-002MD	Cable 2 pairs PVC indoor ivory. CPR Dca	0,59	0,74
8039	CFA-002D	2 optical fibers cable. SM G657A2 LSZH-FR indoor. Ivory. CPR Dca	0,78	0,97
8040	CFA-102D	2 optical fibers cable. SM G657A2 LSZH-FR-UV indoor/outdoor. Black. CPR Dca	0,67	0,83
8041	CFA-202D	2 optical fibers cable. SM G657A2 spiral-reinforced steel coverLSZH-FR-UV indoor,	0,88	1,09
8042	CFA-012D	12 optical fibers SM cable. LSZH-FR-UV indoor/outdoor. Black. CPR Dca	1,79	2,22
8043	CFA-024D	24 optical fibers SM cable, 4 tubes x6 fibers. LSZH-FR-UV indoor/outdoor. Black. C	4,04	5,01

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
8044	CFA-048D	48 optical fibers SM cable, 6 tube x8 fibers. LSZH-FR-UV indoor/outdoor. Black. Cl	6,73	8,35
8045	CFH-012D	12 optical fibers SM cable, monotube. LSZH indoor. Black. CPR Dca	1,79	2,22
8046	CFH-024D	24 optical fibers SM cable, 4 sub-tubes x6 fibers. LSZH indoor. Black. CPR Dca	2,70	3,34
8047	CFH-048D	48 optical fibers SM cable, 6 sub-tubes x8 fibers. LSZH indoor. Black. CPR Dca	4,60	5,70
8221	PAUF-002	Fibre optic box with fusion tray (material ABS UL94-V0) + 2x adapters SC/APC + 2	9,61	11,92
8222	LFO-002	Patch cable SC/APC-SC/APC. Cover 1.9 mm. Length 2 m	6,15	7,62
8223	PTI-015	Pigtail SC/APC G657A2 900 um. Length 1.5 m. LSZH-FR	2,46	3,06
8239	RSE-006	Inner fibre box with 12 fusion trays, 160x110x30 mm. White	10,96	13,59
8240	RSE-012	Inner fibre box with 2 trays of 6 fusions, 180x255x60 mm. Beige	40,06	49,68
8242	CMF-100	SC/APC universal mechanical connector, for 0.9-2-3 mm cables or 3x2 mm flat cal	4,48	5,55
8243	ADF-102	Zirconia SC/APC adapter with side fixings, simplex	0,78	0,97
network Accessories				
2582	ARTU-F01	SC/APC outlets with hinged dust cover	4,57	5,67
3380	PAU-908	User access point: 8 output. Atten. 17 dB	14,53	18,01
8225	BAS-002	Rack support 19" 2U 500x250x89 mm, wall fixing	23,82	29,53
8226	BAS-004	Rack support 19" 4U 500x250x178 mm, wall fixing	37,02	45,90
8227	BAS-006	Rack support 19" 6U 500x250x267 mm, wall fixing	43,49	53,93
8228	ARP-006	Rack cabinets 19" 6U 600x600x370 mm. Glass door. Mounted	192,28	238,43
8229	ARP-012	Rack cabinets 19" 12U 600x600x635 mm. Glass door. Mounted	376,83	467,27
8244	PCR-001	Blind panel for rack cabinet	3,81	4,72
8245	PPR-001	Cable entry panel for rack cabinet	14,04	17,40
8249	PPU-024	24 Keystone ports empty panel with back frame	26,05	32,30
8250	PPU-124	Integrated panel 24 RJ45 CAT6 UTP 180° back frame	61,16	75,84
8252	CMR-045	RJ45 male connector CAT6 UTP	0,67	0,83
8253	CHR-045	RJ45 Keystone female connector CAT6 UTP 90°. Mounting without tools. White	1,67	2,07
8254	CMP-045	RJ45 Keystone female connector CAT6 UTP 180°. Mounting without tools. White	2,24	2,78
8255	RPT-005	Strip 5 pairs CAT3	2,01	2,50
8256	RPT-010	Strip 10 pairs CAT3	2,46	3,06
8257	SRT-005	Support 1 strip of 5 pairs for RPT-005	0,78	0,97
8258	SRT-010	Support 1 strip of 10 pairs for RPT-010	0,78	0,97
8259	SRT-100	Support for 10 strips of 10 pairs	7,60	9,43
8260	CPT-100	Label holder 10 pairs	0,78	0,97
8263	MPP-102	1 input/8 outputs RJ45 UTP Cat6 shielded passive multiplexer	18,38	22,79
8264	CPT-002N	Cable 2 pairs PE outdoor black. CPR Eca	1,34	1,66
8269	ART-100	Telephone distribution box. Support 10 strips of 10 pairs	25,29	31,36
8270	PPU-048	48 Keystone ports empty panel with back frame	61,31	76,03
8271	ADF-001	Kit 5 pcs. duplex SC/LC keystone adapters	7,60	9,43
8272	CFH-100	Kit of 5 pcs Keystone F-F female adapters + washers + F-F splicer connector	14,09	17,47
8275	TCK-100	Ergonomic scissors for cutting kevlar	52,48	65,08
8276	KIE-100	Fibre preparation kit splicing and connectorisation WITHOUT fibre cutter	982,89	1.218,79
8277	KIE-101	Fibre preparation kit splicing and connectorisation WITH fibre cutter	1.112,53	1.379,54
8278	CPF-100	Precision fibre optic cleaver	339,50	420,98
8279	PFI-105	Optical fibre stripping machine for outer jacket. Allows for circular, longitudinal a	172,33	213,68
8280	PEM-045	Fusion joint protector 45 mm long	0,11	0,14
8281	EMF-125	Mechanical fibre optic splicer. IL < 0.5 dB. 40x4x4 mm	7,55	9,36
8286	UCU-100	RJ11, RJ12, RJ45 Metal Crimping tool	37,24	46,17
8288	PFI-103	Optical fibre stripper 3 stripping, sheathed, 900 um, 250 um	40,03	49,64
8290	TA-001	Bag of 50 screws for attaching adapters ADF-102 and ADF-104	5,50	6,82
8291	ADF-104	SC-SC/APC SM adapter with fixing screws, duplex, zirconia, green colour	1,95	2,41
8292	ADF-103	SC-SC/APC SM adapter without fixing screws, simplex Zirconia, green colour for n	0,78	0,97
8293	CTO-048	Multi-operator box 48 ports SC/APC (Operator/Client Space) 450x180x150 mm	236,04	292,69
8294	CTO-032	Multi-operator box 32 ports SC/APC (Operator/Client Space) 320x150x110 mm	221,06	274,11

Ref.	Model	Description	λιαν. αξία προϊόντος	αξία προϊόντος με ΦΠΑ
8295	RSE-121	Inner fibre box with 12 fusion trays, 126x200x50 mm. ABS+PC white	53,27	66,06
8296	FFO-024	Front 24 adapters duplex for PFO-124 tray	6,04	7,49
8297	PFO-124	19" telescopic fiber tray with 24 SC/LCdx front, 2 trays x 12 fusions (without adap	84,08	104,26
8299	CTR-146	Terminal socket phone-data. CAT6. 1 port with dust cover (includes keystone)	2,33	2,89
πρόσθετα accessories				
-	IDC-15	IDComs Professional CAM BISS για 15 services	277,20	343,73
-	USB-2E	συμβατό με την ClassA USB 2.0 to Ethernet Adapter	27,50	34,10
-	RF-PP	1U RF patch panel 24 θέσεων	90,00	111,60
RF TRANSMITTERS				
2154	HRA-128	UHF 300 mW Power Amplifier 75 Ohm	814,00	1.009,36
2158	LRA-112	UHF Amplifier 2x110dBμVolt	163,00	202,12
2152	QRA-110	Echo canceller, channel processor and pre-stage	760,00	942,40
	TR-021	Ζεύκτης 2 κεραιών 75 Ohm	40,00	49,60
2165	EAS-102	UHF Outdoor Splitter. Special Tx 75 Ohm	48,00	59,52
2156	PRA-012	UHF Transmitter Antenna.Radome made of HIPS 75 Ohm	195,00	241,80

με ανοικτό πράσινο σημειώνονται προηγούμενα μοντέλα που διατηρούνται

με ανοικτό μπλε σημειώνονται τα νέα μοντέλα

με κίτρινο σημειώνονται μοντέλα που καταργήθηκαν αλλά θα υπάρχουν για κάποιο διάστημα σε στοκ

ισχύει από 18/4/2022 - οι παραπάνω τιμές δεν περιλαμβάνουν ΦΠΑ